BIDDING DOCUMENT

FOR

SUPPLY OF EQUIPMENT FOR REGIONAL DENTAL COLLEGE, GUWAHATI

IFB NO.DME/35/2013/4185, Dated: 26/02/2013

Due for opening on

26-03-2013 at 3.00 PM

Bidding Document issued to M/Son datedagainst the receipt of Rs5 only in the form of Bank Draft/Bankers' Cheque No Dated	,000/(Rupees Five Thousand)
Dire	ector of Medical Education, Assam.



GOVERNMENT OF ASSAM
DIRECTORATE OF MEDICAL EDUCATION, ASSAM,
SIXMILE, KHANAPARA, GUWAHATI-781022.

GOVERNMENT OF ASSAM OFFICE OF THE DIRECTOR OF MEDICAL EDUCATION, ASSAM SIXMILE, KHANAPARA, GUWAHATI-22

Tele-Fax No.0361-2366236, E-mail-dmeassam@gmail.com, dme@assam.gov.in,

No. DME/207/2012/4185

INVITATION FOR BIDS (NATIONAL COMPETITIVE BIDDING)

Sealed Bids (Two Envelope System) affixing court fee stamp of Rs. 8.25 (Rupees eight point two five paise) only are invited from the intending manufacturer/ Accredited Dealers for supply and installation of Equipments/Machines for Regional Dental College, Guwahati under the Health & F.W. Department, Govt. of Assam.

IFB No.DME/35/2013/4185	Dated: 26 / 02/ 2013	
CLOSING DATE & TIME FOR RECEIPT OF BIDS	26-03-2013	AT 2.00 PM
BIDS OPENING DATE AND TIME	26-03-2013	AT 3.00 PM

1. Bid schedule

Name of the Deptt.	Name of Items	Tender Fee	EMD (Bid Security)
Regional Dental College, Guwahati	Various Dental equipments/ instruments	Rs.5,000/-	Rs.2.00 lakhs

- 2. Bidding documents are available for sale at this office during the office hours on all working days from 26-02-2013 till a day prior to the closing date of receipt of Bid indicating above, against payment of Tender Fee (non-refundable) as mentioned above each in the form of crossed Demand Draft in favour of the "Director of Medical Education, Assam, Sixmile, Khanapara, Guwahati-781022, Payable at SBI- Dispur (Guwahati) Branch. Bidders desires of having bidding documents by post shall have to submit a big size self-addressed envelope with above mention postal charges along with the Bank Draft of Rs.5,000/-.(Rupees five thousand) only each. The bidding documents can also be downloaded from the official web site of Directorate of Medical Education, Assam(www.dmeassam.gov.in), NIC, Govt. of Assam (www.assamgovt.nic.in) and NRHM, Assam (www.nrhmassam.in). In case of bid documents downloaded from the website mentioned above the required fees as mentioned above shall have to be deposited at the time of submission of tender. In case of any disparity between the printed version of the tender documents sold through the Directorate and the downloaded version, the printed will be prevail.
- 3. It is the responsibility of the bidders to ensure that their bids are dropped in the tender box in this office i.e. Directorate of Medical Education, Assam, Sixmile, Khanapara, Guwahati-22 by the closing date and time stipulated above for receipt of bid, failing which the bid would be considered late and rejected. Any appeal for alternation in the Technical Specifications, the bidders may submit their petition to the undersigned within 7 (seven) days from the date of issue of the Tender Notice.
- 4. Henceforth, any corrigendum/addendum related to this Bid/Tender may kindly be seen at the official website of Director of Medical Education, Assam (www.dmeassam.gov.in).
- 5. The bid documents are not transferable.

Sd/- Prof.D.Hazarika.

Director of Medical Education, Assam

Dated: 26 / 02/2013

CONTENTS

		Page No.
1. Schedule-1	Terms and Conditions	3 to 14
2. Schedule-2	Schedule of Requirement	15 to 17
3. Schedule-3	Technical Specifications	18 to 27
4. Schedule-4	Tender forms	28 to 45

SCHEDULE-1

TERMS AND CONDITIONS:

- 1. This Invitation For Bids (National Competitive Bidding) is open to all eligible manufacturer and/or their accredited dealers
- 2. Bid must reach the office of the Director of Medical Education, Assam Sixmile, Khanapara, Guwahati-22" as in the date and time as stipulated in the IFB. A late Bid will not be accepted under any circumstances and for reasons what so ever.
- 3. All Bids duly sealed must be addressed to the Director of Medical Education, Assam, Sixmile, Khanapara, Guwahati-22" and IFB No. with Name of the Deptt. should be **super scribed prominently** in the covering envelope along with full name and address of the Bidder.
- 4. The Bidder shall bear all costs associated with the preparation and submission of its Bid, and the Governor of Assam, herein after referred to as "the Purchaser" will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the tender process.
- 5. It is the responsibility of the Bidder to ensure that their Bid documents are dropped in the Tender Box in the office of the Director of Medical Education, Assam, Sixmile, Khanapara, Guwahati-22 within the stipulated date and time as mentioned in the IFB. In case the bid documents are sent by post or by courier, the time and date of depositing the bid documents at the office of the DME Assam has to be countersigned by the dropping authority of the bid documents. The DME, Assam will not undertake any responsibility whatsoever for postal delay in process of submission of Bids.
- 6. The Bidder is expected to examine all instructions, forms, terms and specifications in the bidding documents. Failure to furnish all information required by the bidding documents or submission of a bid not substantially responsive to the bidding documents in every respect will be at the bidder's risk and may result in the rejection of its bid.

7. Bidders shall submit their bids in two parts as under:

- a) **Technical bids**, in triplicate, consisting of technical details bringing out clearly in a separate sheet, the deviations in specifications if any from that of 'Technical Specifications' and also clause-by-clause compliance of specifications along with the commercial terms and conditions and bid security.
- b) **Price bids** showing only item wise prices in a separate sealed cover inside the main cover
- c) It may be noted that when the main cover is opened on the date and time scheduled for Bid opening, only the technical bids will be opened and read out in public.
- d) Bidders whose technical bids are found substantially responsive will be informed of the date and time of opening of their price bids. Price bids of others will be returned to them unopened before opening the price bids of others.
- The Bids should be duly marked and sealed, as "Original", "Duplicate" and "Triplicate". The sealed bids viz. Original, Duplicate and Triplicate of Technical and Price Bids as mentioned above should be put together finally in a big envelope, which should be sealed as per the clause 3 above.
- 8. It may be noted that Technical bids will be opened and read out in presence of bidders or their authorized representative if they desire to remain present on the date and time scheduled for Bid opening,
- 9. The original, duplicate and triplicate copies of the bid shall be typed or written in indelible ink and shall be signed by the bidder or a person or persons duly authorized to

- bind the bidder to the contract. Written power-of-attorney accompanying the bid shall indicate the letter of authorization. The person or persons signing the bid shall initial all pages of the bid, except for un-laminated printed literature.
- 10. In the event of any discrepancy between original, duplicate and triplicate bids, the original shall govern.
- 11. The bidder shall complete the bid forms and the appropriate price schedule (Annexure-III and Annexure-III) furnished in the bidding documents, indicating for the goods to be supplied, a brief description of the goods, their country of origin, quantity and prices.
- 12. For comparison of bids, the purchaser will grant a margin of preference to goods in accordance with the Govt. standing procedures, provided the bidder shall have established to the satisfaction of the purchaser that the goods are eligible for price/purchase preference.
- 13. However, the quantum of price/purchase preference to be allowed shall be determined by the purchaser on the merits of individual cases based on the prevailing Government policy as per the Assam Preferential Store Purchase Act and his decision shall be final and binding and the purchaser and/or the Government of Assam shall entertain no representations on this ground.
- 14. To assist in the examination, evaluation and comparison of bids, the purchaser may, at its discretion, ask the bidder for a clarification of its bid. The request for clarification and the response shall be in writing and no change in the price or substance of the bid shall be sought, offered or permitted.
- 15. Preliminary examination: The purchaser will examine the bids to determine whether they are complete, whether any computational errors have been made, whether required EMD has been furnished, whether the document have been properly signed, whether the bid validity is as required and whether the bids are generally in order.

16. <u>Bid from accredited dealers without proper authorization from the manufacturers shall be treated as non-responsive and shall be rejected.</u>

- 17. The bid shall remain valid for 365 (three hundred and sixty five) days after date of bid opening. The Purchaser shall reject a bid valid for a shorter period. In exceptional circumstances, the purchaser may solicit the bidder's consent to an extension of the period of tender validity. The request and the responses thereto shall be made in writing. The EMD (bid security) provided under clause 19 shall also be suitably extended. A bidder may refuse the request without forfeiting its bid security. A bidder granting the request will not be required nor permitted to modify its bid.
- 18. The contract should be completed within 45 days from the issue of formal supply order.
- 19. The bidder must furnish EMD (bid security) as per the schedule of requirement unless otherwise exempted under Govt. Orders/Rules in force.
- 20. **The EMD** (bid security) shall be demonstrated in the Indian Rupees and shall be in one of the following forms:
 - a) Post Office Cash Certificates, National Savings Certificates (Certificates which are not held in the name of the bidder shall not be accepted).
 - b) Post Office Savings Bank Pass Book and

- c) Deposit Receipts or Bank Guarantees (in the prescribed pro forma given at **Annexure-XI** issued by any of the scheduled banks).
- 21. Any bid from a bidder who fails to furnish EMD (furnish a notarized copy of the registration certificate for the item quoted), not secured in accordance with clause 19 and 20 will be summarily rejected by the purchaser, as non-responsive.
- 22. Unsuccessful bidder's EMD (bid security) will be discharged / returned as promptly as possible. The bidders are advised in their own interest to send a pre-receipted challan along with their bid so that the return of EMD (bid security) after the bid have been rejected, is made within the stipulation period.
- 23. The successful bidder's EMD (bid security) will be discharged /returned upon the bidder executing the contract and after furnishing the Performance security, pursuant to clause 32.
- 24. The prices must be quoted in Indian Rupees for both indigenous and imported make. Bids, where prices are quoted in any other way shall be treated as non-responsive and rejected. The bidder shall indicate on the appropriate price schedule (Annexure-III) attached to these documents the unit prices and total bid prices of goods it proposed to supply under the contract.
- 25. The Purchaser will technically evaluate all bids previously determined to be responsive and compare the bids previously determined to be substantially responsive and technically acceptable.
- 26. The Purchaser's evaluation of a bid will include and take into account:

The goods manufactured indigenously or goods of foreign origin already located in India: excise duty, sales tax and other similar taxes and duties, which will be payable on the goods if a contract is awarded to the bidder and the purchaser's evaluation of a bid will exclude and not take into account the additional features like training in India or abroad offered free or at an additional cost unless specifically asked for in the 'Technical Specifications'.

- 27. The comparison shall be of F.O.R. site and delivered and commissioned at consignee's end. The purchaser's evaluation of bid will take into account, in addition to the bid price and the price of incidental services, the following factors, in the manner and to the extent indicated in clause 28 and in the 'Technical Specifications':
 - a) Cost of inland transportation and other costs within India incidental to delivery of the goods to their final destination at consignee's site,
 - b) delivery schedule offered in the bid,
 - c) deviations in payment schedule from that specified under clause 49.
 - d) the cost of guarantee/warranty and
 - e) the Performance and productivity of the equipment offered.
- 28. Pursuant to clause 27, following evaluation methods will be followed:

a) Inland transportation, insurance and incidentals:

Bidder shall quote separately for inland transportation, insurance and other incidentals for delivery of goods to the site.

b) Applicable Taxes:

Bidder shall quote separately for all applicable taxes payable to the Govt. for delivery of goods to the site.

- 29. Purchaser's right to accept any bid and to reject any or all bids: The purchaser reserves the right to accept or reject any bid and to annul the bidding process and reject any or all bids at any time prior to award of contract, without thereby incurring any liability to the affected bidder or bidders or any obligations to inform the affected bidder or bidders of the grounds for the purchaser's action.
- **30. Notification of award:** Prior to the expiration of the period of bid validity, the purchaser will notify the successful bidder in writing, by registered letter or by cable or telex or fax (to be confirmed in writing by registered letter), that its bid has been accepted. The notification of award will constitute the formation of the contract.
- 31. Signing of contract: At the same time, the purchaser notifies the successful bidder that its bid has been accepted, the purchaser will send the bidder the contract form provided in the bidding documents, incorporating all agreements between the parties. The successful bidder shall sign and date the contract form provided in the document. A registered Power of Attorney is to be supported with the bid in favour of the person(s) who will sign the bid as well as contract form if contract is awarded. (Annexure-XIII)
- **32. Performance Security:** Immediately after the receipt of notification of award from the purchaser, the successful bidder shall furnish the Performance Security. The supplier shall furnish Performance Security to the purchaser for an amount of **5%** (**five percent**) of the order value, valid for the entire period of warranty. However, if the supplier fails to execute the order or fails to perform the services as per contract in addition to other panel actions, the performance security shall be encashed & the amount forfeited.
- 33. Failure of the successful bidder to comply with the requirement of clause 31 or clause 32 shall constitute sufficient grounds for the annulment of the award and forfeiture of the EMD (bid security), in which event the purchaser may like the award to the next lowest evaluated bidder or call for new bids.
- **34.** The proceeds of the Performance Security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete its obligations under the contract.
- **35. The Performance Security** shall be denominated in the Indian Rupees and shall be in one of the following forms:
 - a) Post Office Cash Certificates, National Savings Certificates (Certificates which are not held in the name of the bidder shall not be accepted),
 - b) Post Office Saving Bank Pass Book and
 - c) Deposit Receipts or Bank Guarantees (in the prescribed pro forma given at **Annexure-XII** issued by any of the scheduled banks).
- **36. Inspection and tests**: The purchaser or its representatives shall have the right to inspect and/or to test the goods to confirm their conformity to the contract. The purchaser shall notify the supplier in writing of the identity of any representatives for this purpose.
- 37. The inspections and tests may be conducted on the premises of the supplier, at point of delivery and/or at the goods final destination, where conducted on the premises of the supplier, all reasonable facilities and assistance including access to drawings and production data shall be furnished to the inspectors at no charge to the purchaser. Should any inspected or tested goods fail to conform to the specifications, the purchaser may reject them and the supplier shall either replace the rejected goods or make all alterations necessary to meet specification requirements free of cost to the purchaser, within a period of 15(fifteen) days of intimating such rejection. The purchaser's right to inspect, test and, where necessary, reject the goods after the good's arrival at the final destination

shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by purchaser or its representatives prior to the goods dispatch from the place of manufacture.

38. Nothing in clause 37 shall in any way release the supplier from any warranty or other obligations under the contract.

39. Qualification Criteria:

- 1. The bidder must be a manufacturer or their accredited dealers (specifically against this IFB for the subject goods) and had successfully executed contracts for similar and/or identical goods in the past three years prior to the date of Tender opening. In support of this, the bidder shall furnish Performance statement in the enclosed **Annexure-I.**
- 2. Notwithstanding anything stated above, the purchaser reserves the right to assess the bidder's capability and capacity to perform the contract satisfactorily before deciding on award of contract, should circumstances warrant such an assessment in the overall interest of the purchaser.

40. Warranty:

- i. The supplier warrants that the goods supplied under the contract are new, unused, or the most recent of current models and incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that the goods supplied under the contract shall have no defect arising from design, materials or workmanship (except insofar as the design or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in India, i.e. the country of final destination.
- ii. The warranty should be as per the period mentioned in the Technical Specification.
- iii. The purchaser/indenter shall notify the supplier in writing of any claims arising under this warranty.
- iv. Upon receipt of such notice, the supplier shall, with all reasonable speed, repair or replace the defective goods or parts thereof, free of cost at the ultimate destination. The supplier shall take over the replaced parts/goods at the time of their replacement. No claim whatsoever shall lie on the purchaser for the replaced parts/goods thereafter.
- v. If the supplier, having been notified, fails to remedy the defect(s) within a reasonable period, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchase may have against the supplier under the contract.
- vi. The warranty for defective parts will begin de novo from the date of replacement. Supplier will pay customs duty and all expenses up to the destination for the replaced part.

41. Reasonability of rates/ firm price:

- i. The bidder shall certify that the rates quoted are the lowest ones for any institution in the country.
- ii. During the period of the contract, if the price of any tendered item is reduced due to any reason including any Law or Act of the Central/State Government, the bidder shall be statutorily bound to intimate the reduced rates immediately to the purchaser and shall charge the reduced rates. The purchaser is empowered to unilaterally effect such reduction as is necessary in rates, in case the bidder fails to notify or fail to agree to such reduction of rates.

- iii. Subject to the condition stipulated above, the prices shall remain firm for the validity period of tender and on no account any increase in price shall be entertained till completion of the tender period.
- iv. No bidder will be allowed at any time on any ground whatsoever, to claim revision of or modification in the rates quoted by him. The representation of the bidder that computation/ typographical or clerical error etc. has been committed in the bid and request for reversion on such plea shall not be entertained after opening of the bid.
- **42. Contacting the Purchaser:** Subject to clause 18, no bidder shall contact the purchaser on any matter relating to its bid, from the time of the bid opening to the time the contract is awarded. Any effort by a bidder to influence the purchaser in the purchaser's bid evaluation, bid comparison or contract award decisions shall result in the rejection of the bidder's bid and also banning of business dealings with the bidder for a period of three years from the date of such ban.
- 43. Documents establishing good's eligibility and conformity to bidding documents: The bidder shall furnish, as part of its bid, documents establishing the eligibility and conformity to the bidding documents of all goods and services, which the bidder proposes to supply under the contract. The documentary evidence of the goods and services eligibility shall consist of a statement in the price schedule. The documentary evidence of the goods and services conformity to the bidding documents may be in the form of literature, drawings and data and shall furnish:
 - i. A detailed description of the goods essential technical and Performance characteristics,
 - ii. A list giving full particulars, including available sources and current prices, of all spare parts, special tools, etc., necessary for the proper and continuing functioning of the goods for a period of years, following commencement of the goods used by the purchaser and
 - iii. A clause-by-clause commentary on the purchaser's 'Technical Specification' demonstrating the goods and services substantial responsiveness to those specifications or a statement of deviations and exceptions to the provisions of the 'Technical Specifications'.
- 44. Definition of Technical Specification: For purposes of the commentary to be furnished to clause 43 (iii) above, the bidder shall note that standards of workmanship, material and equipment and references to brand names or catalogue numbers designated by the purchaser in its 'Technical Specifications' are intended to be descriptive only and not restrictive. The bidder may substitute alternative standards, brand names and/or catalogue numbers in its bid, provided that it demonstrates to the purchaser's satisfaction that the substitutions are substantially equivalent or superior to those designated in the 'Technical Specifications'.

45. Statutory taxes/ duties:

In case of any enhancement of Taxes and/ or duties or levy of fresh Taxes/ duties due to Statutory Act of the Govt., after date of submission of the tenders and during the contractual delivery period, additional or fresh levies so imposed will be allowed to be claimed as extra without any change in the price structure approved under the tender. For this purpose, the supplier shall produce a certificate from the authority concerned certifying that the item supplied falls under particular tariff resulting in additional/ fresh levies for the supplied item.

However, the same shall not be borne by the purchaser in case such levies become applicable after expiry of the contractual delivery period stipulated in the contract.

Further, in case the bidder has been enjoying Excise Duty exemption on any criteria like turnover etc. and at a later date, during currency of the contract, even if Excise Duty becomes chargeable on goods manufactured, the same shall be to the supplier's account and shall not be borne by the purchaser.

46. Penalty for delay in delivery:

Non-performance of the contract provisions may make the bidder liable to be disqualified to participate in any tender for the next 5 years, in addition to forfeiture of EMD / Performance Security and other penal provisions.

47. Force majeure:

The above condition of delivery period, price reduction & termination etc. are subject to force majeure conditions which are beyond the control of the supplier, do not involve fault or negligence of the supplier and are not anticipated. Such events may include but are not limited to riots, mutinies, war, fire, storm, tempest, flood, epidemics, or other exceptional causes like quarantine restrictions, freight embargoes. On specific request made by the supplier the time period of supply may be extended by the purchaser at his discretion for such period as may be considered reasonable. However, the condition shall not include scarcity of raw materials, power cut, labour dispute, failure of sub-vendor and increase in cost of raw material.

48. Fraud & Corruption:

The bidders, suppliers & contractors shall observe the highest standard of ethics during bidding and during performance of the contract. For the purposes of this provision, the following acts shall be considered as corrupt and / or fraudulent practices -

- a) "Corrupt Practice" means offering, giving, receiving, or soliciting directly or indirectly, of any thing of value to influence the action of an official in the procurement process or in contract execution.
- b) "Fraudulent Practice" means misrepresentation or omission of facts in order to execution of contract.
- c) "Collusive practice" means a scheme or arrangement between two or more bidders, with or without the knowledge of the purchaser, designed to establish bid prices at artificial, non-competitive level.
- d) "Coercive Practice" means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in a procurement process or in execution of a contract.

During the process of evaluation of a bid or proposal for award of a contract, if it is detected that a bidder directly or through agent has engaged in corrupt, fraudulent, collusive or coercive practice in competing for the contract in question, then a) the bid shall be rejected and b) declare the firm ineligible for a specific period or indefinitely to participate in a bidding process.

In the bid document itself, an undertaking has to be furnished in the format at **Annexure-VII.**

49. Local conditions:

It will be imperative on the bidder to fully acquaint himself of all local conditions and factors that would have any effect on performance of the Contract. The purchaser shall not entertain any request for clarifications from the bidder regarding such local conditions nor shall accept any offer conditional to the local factors. No request for any change of price or extension of time schedule of delivery of goods shall be entertained after purchaser accepts the bid.

50. Adjudication/Review board:

Any dispute arising out of or during execution of the contract shall be settled with mutual agreement through an Adjudication/Review Board appointed by the Health & F.W. Department, Govt. of Assam.

51. Saving clause:

No suit, prosecution or any legal proceedings shall lie against Tender Inviting Authority or any person for anything that is done in good faith or intended to be done in pursuance of tender.

52. Laws governing the contract & jurisdiction:

The contract shall be interpreted in accordance with the laws in force in India. All disputes shall be subject to the jurisdiction of appropriate court situated at Guwahati.

53. Payment Terms:

- 1. Source of Fund: The Health & F.W. Department, Govt. of Assam
- 2. **Procedure for payment**: The paying authority on production of the following documents shall make 100% Payment.
 - a. Invoice in triplicate are to be submitted to the paying authority along with the other documents after completion of the supply.
 - b. Stock Entry Certificate is to be obtained in the body of the Invoice in triplicate.
 - c. The original Challan Copy.
 - d. Test certificates.
 - e. Warranty certificates.

54. The bidder must submit the following documents along with the others as mentioned above in the Technical Bid with their tender:

- i. Up to date valid VAT clearance certificate.
- ii. Up to date valid manufacturing license.
- iii. GRN/TIN and PAN.
- iv. Literature/catalogue/leaflet in support of the tendered item.
- v. Up to date dealer/ distributor certificate.
- vi. ISO/GMP and other quality certificate issued from competent authority.
- vii. Declaration on details of manufacturing unit, installed capacity of the item quoted, testing facilities and nearest after sales service facility with details of technical personnel, along with non conviction certificate/ declaration for the past 3 years. (Annexure V)
- viii. Last 3(three) years Turn Over Rs.1.50 Crores and Statement for the last 3 financial years i.e. 2009-2010, 2010-2011, and 2011-2012 in the specified format (Annexure VI) certified by the Auditor/ Chartered Accountant. Bidders has to submitted statement of account, profit and loss or the year 2009-2010, 2010-2011, and 2011-2012
- ix. Undertaking in the form at **Annexure-VII** confirming acceptance of all terms and conditions of the tender
- x. An undertaking on fraud and corruption as per Annexure-VIII
- xi. Manufacturer Authorization letter as per the format enclosed at Annexure-IX.
- xii. The bidder shall impart education and training to upgrade the skills of the medical professionals at various levels for which a tentative programme shall be submitted.

xiii. The bidders shall duly fill in the agreed terms and conditions as per **Annexure X**.

55. Additional Terms and Conditions:

- a. Total monetary value of similar nature of work performed during each of the last three years must be furnished by the bidder which are as follows:
 - i) Experience in works of a similar nature and size for each of the last three years, and details of works underway or contractually committed; and clients who may be contacted for further information on those contracts:
 - ii) Evidence of access to line (s) of credit and availability of other financial Resources facilities (20% of Contract Value), certified by the Bankers (Not more than 3 Months old);
 - iii) Authority to seek references from the Bidder's Bankers;
 - iv) Information regarding any litigation, current or during the last three years in which the Bidder is involved, the parties concerned, and disputed amount;
- b. Bids from Joint ventures are not acceptable.
- c. The bidder must be a profit making one for the last three years.
- d. Information on Bid Capacity (works for which bids have been submitted and works which are yet to be completed) as on date of this bid.
- e. The bidder shall impart education and training to upgrade the skills of the medical professionals at various levels for which a tentative programme shall be submitted.
- f. The bidder shall provide backup services of trained Technical Personnel on 24 hours basis for emergency programming. Complaints should be attended properly, maximum with 8 hours. The service should be provided directly by Tenderer /Indian Agent. Undertaking by the Principals that the spares for the equipments shall be available for at least 10 years for the date of supply.
- g. Bid shall be type written and correction, if any, in the bid shall invariably be attested with full signature by the bidder with date, failing which the bid shall be considered ineligible for evaluation. Corrections done with correction fluid shall also be duly attested.

56. Warranty:

- a) The warranty charges shall not be quoted separately.
- b) 95% up time Warranty of complete equipment with extension of Warranty period by double the downtime period on 24 (hrs) X 7 (days) X 365 (days) basis.
- c) All software updates should be provided free of cost during Comprehensive Warranty period.

57. Training:

On Site training to Doctors/ Technicians/ staff is to be provided by Principal/Indian Agents (if they have the requisite know-how) for operation and maintenance of the equipment to the satisfaction of the user department.

58.AMC/CMC

a)The cost of AMC will be added in case of equipments which are less than total unit price of Rs. 10 lakhs. In case of equipments, whose total unit price is above Rs. 10 lakhs, CMC will be calculated for ranking /evaluation purpose.

- b) The cost of Comprehensive Maintenance Contract (CMC) which includes preventive maintenance including testing & calibration as per technical/ service /operational manual of the manufacturer, labour and spares, after satisfactory completion of Warranty period may be quoted for next 3 years on yearly basis for complete equipment (including all spares and labour).
- c) The cost of CMC may be quoted along with taxes applicable on the date of Tender Opening. The taxes to be paid extra, to be specifically stated. In the absence of any such stipulation the price will be taken inclusive of such taxes and no claim for the same will be entertained later.

d) Cost of AMC/CMC will also be added for Ranking/Evaluation purpose.

- e) The payment of CMC will be made on yearly basis after satisfactory completion of said period, duly certified by end user on receipt of bank guarantee for 2.5 % of the cost of the equipment (as per Annexure-IV) valid till 2 months extra after expiry of entire CMC period.
- f) The Performance Bank Guarantee for CMC will be applicable in case of equipment cost is more than Rs. 10.00 Lacs.
- g) There will be 95% uptime warranty during CMC period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend CMC period by double the downtime period.
- h) All software updates should be provided free of cost during CMC.
- i) The payment of CMC will be made on annual basis after satisfactorily completion of said period.

The CMC price {not more than 10% cost of the equipment, otherwise offer will be out rightly rejected} for next 3 years, which should include cost of labour & spares for entire equipment. The CMC cost will be taken into consideration for price comparison. The CMC price should be filled in commercial bid only.

SAMPLE FORMAT FOR EVIDENCE OF ACCESS TO OR AVAILABILITY OF CREDIT FACILITIES

BANK CERTIFICATE

This is to certify that M/s	
Is a reputed company with good financial standing.	
If the contract for the work, namely	
firm, we shall be able to provide overdraft/credit facilities t	is awarded to above
	(Signature)

Name of the Bank
Senior Bank manager
Address of the Bank

Address of the Purchaser/Paying authority:

DIRECTOR OF MEDICAL EDUCATION, ASSAM, Sixmile, Khanapara, Guwahati-781022. TELE-FAX NO. 0361-2366236.

Consignee:

i. Principal, Regional Dental College, Guwahati.

Installation site: Regional Dental College, Guwahati.

Terms of Delivery: F.O.R. Destination (Regional Dental College, Guwahati)

SCHEDULE-2

SCHEDULE OF REQUIREMENT

Part-I

Name of the	Brief Description of Goods	Installation site	Delivery/Installation/
Department			Commissioning
			Period
	1. DENTAL CHAIR & UNIT WITH	RDC, Guwahati	Maximum 45 days.
Regional	COMPRESSOR AND MOTORIZED		However Bidders
Dental	SUCTION APPARATUS		may quote earliest
College,	2. AUTOCLAVE		delivery/Installation
Guwahati	3. DIGITAL ULTRASONIC CLEANER		/Commissioning
	4. DIGITAL IINTRA ORAL X-RAY		period.
	UNIT		1
	5. DRYVIEW LASER IMAGER		
	6. PHANTOM LAB UNIT		
	7. PRE HEATING FURNACE		
	8. SAND BLASTER		
	9.MODEL TRIMMER WET		
	(CARBORANDAM DISC)		
	10. HI SPEED ALLOY GRINDER		
	11. RUBBER DAM KIT		
	12.ENDO MOTOR WITH TORQUE		
	CONTROLS HPS		
	13. RCT INSTRUMENT KIT		
	14.LASER PIN PINDEX MACHINE		
	LASWER PIN DRILLING UNIT		
	15. HYDRAULIC FLASK PRESS		
	16.PHYSIODISPENSER MICRO		
	MOTOR SYSTEM AND		
	ELECTRONIC MOTOR		
	17.ADVASNE DENTAL IMPLANT		
	SURGICAL KIT UNITS NEEDED - 03		
	18.CORDLESS LED SURGICAL		
	HEADLIGHT UNIT		
	19.LIGHT CURE UNIT WITH		
	CORDLESS DIGITAL LED DISPLAY		
	(LED BASED)		
	20.PIEZOELECTRIC ULTRASONIC		
	SCALER.		
	21. PULP TESTER DIGITAL		
	22. AUTOMATIC X-RAY		
	DEVELOPER		
	23. TYPHODONT		
	24. SET OF PLIERS		
	l	l	I

Note:

- 1. Bidder must affixed court fee stamp (I.P.O in case of Bidders outside the State of Assam) of Rs.8.25 (Rupees eight and paise twenty five only) on the Technical Bid (Original Copy).
- 2. Bidder should submit a soft copy (in CD) of Technical Bid in MS WORD format (only technical specifications/details of the goods and services proposed to be

supplied under contract) to help in preparation of Comparative Statement which should be inserted in the Technical Bid (Original Copy). Any discrepancy between soft and hard copy, the hard copy (printed and signed documents) shall prevail.

- 3. All the materials should be well packed to avoid any breakage during transit.
- 4. The responsibility for providing after sale service would rest on the Principal equipment supplier.
- 5. The Principal shall be solely responsible for warranty period and maintenance of the equipment even if there is any change in the accredited dealer during the above period.
- 6. Bidders shall submit their bids in two parts.
- 7. Bid security (EMD) to be furnished in favour of Director of Medical Education, Assam, Sixmile, Khanapara, Guwahati-22"
- 8. Bidders shall submit their Performance statement as per Performa along with certificate from the users and copy of the orders for the equipment quoted.
- 9. The quantity mentioned is only the tentative requirement and may increase or decrease as per the decision of Tender Inviting Authority. The rates quoted should not vary with the quantum of the order or the destination.

PART-II: SCOPE OF INCIDENTAL SERVICES:

- A. Installation, Commissioning, Demonstration, on-site training, Performance Supervision of on-site assembly, Start-up of the supplied Goods.
- **B.** The bidder shall impart education and training to upgrade the skills of the medical professionals at various levels for which a tentative programme shall be submitted.
- C. Detailed Operations and Maintenance Manual for each appropriate unit of the supplied Goods are to be provided by the successful bidder.

PART-III: TERMS OF DELIVERY

The equipment has to be delivered at the site of the following Institutions:

i. Regional Dental College, Guwahti (RDC)

The periodic requirement of each medical college will be directly communicated to the supplier by letter / fax / e-mail / telephone and the same shall be delivered to the indenting authority without any delay.

SCHEDULE-3

Technical Specifications

ITEM NO. 1	DENTAL CHAIR & UNIT WITH COMPRESSOR AND MOTORIZED SUCTION APPARATUS
	 a) Body contoured electrically operated surely micro processor based programmable chair both by operator, assistant and also through foot control(Multifunction) b) LED light with minimum of 6000 - 40,000 lux, intensity with sensor controlled. c) Chair side Porcelain/Glass spittoon with 90 degree rotatable and removable spittoon with an auto water connection for spittoon and tumbler. d) High & Low Vacuum Motorized suction and compressor preferably good quality with continuous nonstop function and rust free tank 1 Hp oil free minimum tank capacity 30 ltrs. e) Modular delivery system over the patient containing following attachment and hydraulically adjustable. i) Two air rotor point. ii) One detachable micro motor ranging 30,000 - 40,000 rp.m.
	iii) Three ways syringe 2 Nos.iv) Foot control for both position and speed of the Airotor/micro-motor.f) One dental operator stool with back rest and height adjustment.
ITEM NO.2	AUTOCLAVE
	 a. Minimum 21 Lit capacity front loading autoclave class B specification of European standard EN - 13060 b. The autoclave must be capable of producing automated pre-vacuum and drying cycle afterward. c. It should have 6 trays or 3 standard tray cassettes. d. The price should include a distilled water manufacturing unit specifically for the sterilization purpose. e. The autoclave should have a sterilization programmes and 2 test program (Vacuum test and Bowie & Dick test) f. The programme should Bowie & Dick test run automatically after selection and should be monitored by advanced microprocessor. Following four programmes are to be available. A. Universal programme. i. Sterilization tem - 134 degree C ii. Sterilization pressure 2.1 bar. iii. Sterilization time 3.30 min. iv. Drying period 15 min. B. Gentle program Sterilization time 121 degree c Sterilization time 20 min Drying period 20 min. C. Prior program a. Sterilization tem 134 degree b. Sterilization pressure 2.1 ba

	c. Sterilization time 20 min
	d. Drying period 15min
	D. Quick program
	Sterilization tem 134 degree
	Sterilization pressure 2.1 bar
	Sterilization time 3.30 min
	Drying period 10min
ITEM No.3	DIGITAL ULTRASONIC CLEANER
	Ultrasonic cleaner of tank capacity 13 liters (Minimum 10 to 15 Ltrs.)
	 Made preferably of stainless steel/plastic stainless steel.
	• Frequency between 25 – 45 KHZ
	 Heating temperature 20 – 80 degree Centre grade.
	• Time 1 minute to 60 minute.
	Should have mesh bucket with fluid level monitor with ginger guard
	instrument bucket with minimum two section inserts.
ITEM No.4	DIGITAL IINTRA ORAL X-RAY UNIT
	i. High Voltage selection: 60 KV & 70 Kv.
	ii. Anode current: 4mA & 8mA
	iii. Exposure time setting .02 Sec to 3.2 Sec. RVG compatible.
	iv. Microprocessor based digital timer with hand operated switch for
	exposure.
	v. Radiation leakage < 0.25 mgy/ hr maximum at a distance of 1 m from focal
	spot.(0.7 mm from CEI)
	vi. Approved by Atomic Energy Regulatory Board (AFRB)Govt. of India
	vii. Total filtration equivalent to 2 mm Al at 70Kv, x-ray tube high frequency
	generator.
	iii. Input power supply 230V,50Hz and maximum power consumption should
	not be more than 1500W
	ix. The tube head should be of double anode tungsten tube head Wt should
	not be more than 5 – 6 Kg.
	x. It should be wall mounted and stand mounted.
	xi. Each machine should be provided w with appropriate servo Voltage
	Stabilizer minimum at least 3 KV.
ITEM No. 5	DRYVIEW LASER IMAGER
	1) Photo thermo graphic (dry laser)
	2) 325 pixel or more/inch, 78 micro or less spot spacing.
	3) Minimum 45-85 films processing/ hrs.
	4) To be compatible with all OPG & Cephalogram, CBCT(preferably
	with Kodak OPG 8000C)
	5) Software to be compatible withal OPG ,cephalostat, CBCT(for eg.
	Kodak 8000C etc.)
	6) Drying laser imaging films of 500 Nos to be provided with the
	machine
ITEM No.6	PHANTOM LAB UNIT
	a. Fiber torso with Phantom head completed with articulated model

	with table with 32 ivory teeth.
	b. Phantom Head body with neck joints.
	c. For all types of movement, TMJ Movement.
	d. Rubber Fletcher mask with drainage provision.
	e. Dual Intensity shadow less light with reflector.
	f. Instrument tray with 3 ways syringe, coupling for airotor, 1 No
	Micro motor without H/P one
	g. Articulated jaw with 32 Ivorian teeth.
	h. Operator's revolving stool with backrest & adjustable height.
	i. Table with stainless steel top and drawer.
	in Tuble Wallstandess steel top and drawer.
ITEM No.7	PRE HEATING FURNACE
	Main Feature-
	1. High thermal yield.
	2. Reduced energy consumption.
	3. Compact size.
	4. Modular electronic valve.
	5. Protection against corrosion.
	6. (electro galvanized steel & epoxy paint)
	7. Stainless steel door.
	8. Monobolic cast ceramic muffle.
	9. No of programs minimum 6 – maximum 10
	10. Programe regulation 0 to 19 in 3 level stages.
	11. Programe regulation 20 to 29 in 6 level stages.
	12. Clock time for desired casting readiness can be specified with
	optical and acoustic signal for end of programme.
	13. Maximum weight 50 Kg (30 Kg. Minimum)
	14. Minium ring capacity 3.
	15. Chamber size (Height 600 mm, Width 470 mm, Depth 550mm
	1
	16. Digital Display.
	17. Maximum heating temperature 1200 degree centigrade.
	Technical date: - Power Supply 230V -50/60Hz,2000W
	- Weight 34Kg.
	- Dimension 500 X 390 X 440 mm
ITEM No.8	SAND BLASTER
	Main features:
	1. Sand Blaster (Dual tank) for abrasion.
	2. Free working on casting with nozzle allowing contamination
	free smooth finish of articles.
	3. Built with light weight material.
	4. Exhaust filter for pollution free atmosphere & large glass
	window for easy viewing.
	5. Supplied with 2 Nozzles.
	Technical Data.
	• Power supply 230V 50/60Hz.
	Weight 9.5 Kg.

	Dimension 375 X 400 X 425 mm
ITEM No.9	MODEL TRIMMER WET (CARBORANDAM DISC)
	Main features: 1 Model Trimmer with 10" Coarse cutting imported stone wheel
	1.Model Trimmer with 10" Coarse cutting imported stone wheel 2.Heavy base, inlet and outlet water flow system.
	3.R.P.M. – 2800 heavy duty.
	4. Equipped with 2 ball bearings.
	<u>Technical Data.</u> - Power supply 230V 50/60Hz,600 W
	- Weight Minimum 10 Kg. – 15 Kg. maximum.
	- Dimension 320 X 430 X 350 mm
	Dimension 520 % 100 % 000 min
ITEM No.10	HI SPEED ALLOY GRINDER
	High speed drilling bit and imported motor.
	All kinds of cutting & polishing for various pint sized metal, resin or
	plastic work pieces and craftwork.
	Integrated drilling bit and motor at the same time.
	Transparent glass protector.
	• Speed 24000 R.P.M.
	Power Consumption 230/ Volt, 50/16 Hz.
ITEM No.11	RUBBER DAM KIT
	Dental Dam Complete with Wingless Clamps.
	9 Clamp Colour Coded with following –
	i. Right Mandibular Molar Clamp with scrrated Jams for partially
	erupted teeth.
	ii. Molar clamp for partially erupted or irregularly shaped teeth.
	iii. Molar clamp for small, partially erupted irregularly shaped
	teeth (Pedo)
	iv. Left Mandubular Molar clamp with serrated James for partially
	erupted teeth.
	v. Small Maxillary Molar Clamp.
	vi. Universal Mandibular Bicuspid Clamp.
	vii. Universal Double- Bowed Anterior Clamp.
	viii. Universal Mandibular Molar clamp.
	ix. 6" U shade Frame (Autocalavable) Plastic.
	x. Rubber Dam Punch.
	xi. Rubber Dam Clamps Forceps
	Minimum 200 sheet to be supplied with the kit.
ITEM No.12	ENDO MOTOR WITH TORQUE CONTROLS HPS
	Contains:
	Control unit, Motor and cord, AC adaptor
	Geared head Hand piece (16:1)/(20:1) Hand piece stand
	1. Power supply: AC230V 50'60 Hz and Battery pack
	2. Number of Programs: 9
	3. Max Torque: 7 Ncm(when using 20:1/16:1 head)
	4. Charge/Continuous use 2 hours to 5 hours (depending on

	1.1.10
	workload)
	5. Speed range: 100 – 13,000 min(with 20:1,!6:1;4:1,1:1 geared
	heads)
	6. Dimensions: W92 X D148 X H124(mm)
	7. Weight: Unit 456g/Motor Hand piece & Cord 92g.(Maximum
	cord weight 100 gm & weight maximum 500 gm.)
ITEM No.13	RCT INSTRUMENT KIT
	1. Endo box.
	2. Endodontic Plier locking and non locking.
	3. Endodontic locking tweezer.
	4. Access opening. Endo excavators.
	5. Hand spreader – tapered tip and flattened tip.
	6. Finger spreaders and plungers set of six (15 to 40) tapered and
	flattened tip.
	Endo block.
ITEM No.14	LASER PIN PINDEX MACHINE LASWER PIN DRILLING UNIT
1112111110.14	Laser Pin for super precision laser adjustment pint.
	2. Adjustable diameter (between 0.5 & 3 mm)
	3. Clear view of the model.
	Technical data.
	1. Power Supply 230V 50/60 Hz, 150W
	2. Weight 15 Kg.
	3. Dimension 250X260X420mm
ITEM No 15	
ITEM No.15	HYDRAULIC FLASK PRESS
ITEM No.15	
ITEM No.15	HYDRAULIC FLASK PRESS Main Features: 1. Described as reliable.
ITEM No.15	HYDRAULIC FLASK PRESS Main Features: 1. Described as reliable. 2. Easy to use with study.
ITEM No.15	HYDRAULIC FLASK PRESS Main Features: 1. Described as reliable. 2. Easy to use with study. 3. Durable construction.
ITEM No.15	HYDRAULIC FLASK PRESS Main Features: 1. Described as reliable. 2. Easy to use with study. 3. Durable construction. 4. Can accommodate up to three flasks.
ITEM No.15	HYDRAULIC FLASK PRESS Main Features: 1. Described as reliable. 2. Easy to use with study. 3. Durable construction. 4. Can accommodate up to three flasks. 5. Pressure of 400 bar.
ITEM No.15	HYDRAULIC FLASK PRESS Main Features: 1. Described as reliable. 2. Easy to use with study. 3. Durable construction. 4. Can accommodate up to three flasks. 5. Pressure of 400 bar. 6. The pleo dynamic circuit is absolutely leak proof & no
ITEM No.15	HYDRAULIC FLASK PRESS Main Features: 1. Described as reliable. 2. Easy to use with study. 3. Durable construction. 4. Can accommodate up to three flasks. 5. Pressure of 400 bar. 6. The pleo dynamic circuit is absolutely leak proof & no maintenance is required.
ITEM No.15	HYDRAULIC FLASK PRESS Main Features: 1. Described as reliable. 2. Easy to use with study. 3. Durable construction. 4. Can accommodate up to three flasks. 5. Pressure of 400 bar. 6. The pleo dynamic circuit is absolutely leak proof & no maintenance is required. 7. Heavy duty hydraulic press with pressure gauge and inbuilt
ITEM No.15	HYDRAULIC FLASK PRESS Main Features: 1. Described as reliable. 2. Easy to use with study. 3. Durable construction. 4. Can accommodate up to three flasks. 5. Pressure of 400 bar. 6. The pleo dynamic circuit is absolutely leak proof & no maintenance is required. 7. Heavy duty hydraulic press with pressure gauge and inbuilt well tank.
ITEM No.15	HYDRAULIC FLASK PRESS Main Features: 1. Described as reliable. 2. Easy to use with study. 3. Durable construction. 4. Can accommodate up to three flasks. 5. Pressure of 400 bar. 6. The pleo dynamic circuit is absolutely leak proof & no maintenance is required. 7. Heavy duty hydraulic press with pressure gauge and inbuilt well tank. Technical Data.
ITEM No.15	HYDRAULIC FLASK PRESS Main Features: 1. Described as reliable. 2. Easy to use with study. 3. Durable construction. 4. Can accommodate up to three flasks. 5. Pressure of 400 bar. 6. The pleo dynamic circuit is absolutely leak proof & no maintenance is required. 7. Heavy duty hydraulic press with pressure gauge and inbuilt well tank. Technical Data. 1. Power Supply 230V 50/60 Hz,80 W
ITEM No.15	HYDRAULIC FLASK PRESS Main Features: 1. Described as reliable. 2. Easy to use with study. 3. Durable construction. 4. Can accommodate up to three flasks. 5. Pressure of 400 bar. 6. The pleo dynamic circuit is absolutely leak proof & no maintenance is required. 7. Heavy duty hydraulic press with pressure gauge and inbuilt well tank. Technical Data. 1. Power Supply 230V 50/60 Hz,80 W 2. Weight 22Kg.
ITEM No.15	HYDRAULIC FLASK PRESS Main Features: 1. Described as reliable. 2. Easy to use with study. 3. Durable construction. 4. Can accommodate up to three flasks. 5. Pressure of 400 bar. 6. The pleo dynamic circuit is absolutely leak proof & no maintenance is required. 7. Heavy duty hydraulic press with pressure gauge and inbuilt well tank. Technical Data. 1. Power Supply 230V 50/60 Hz,80 W
	HYDRAULIC FLASK PRESS Main Features: 1. Described as reliable. 2. Easy to use with study. 3. Durable construction. 4. Can accommodate up to three flasks. 5. Pressure of 400 bar. 6. The pleo dynamic circuit is absolutely leak proof & no maintenance is required. 7. Heavy duty hydraulic press with pressure gauge and inbuilt well tank. Technical Data. 1. Power Supply 230V 50/60 Hz,80 W 2. Weight 22Kg. 3. Dimension 200 X 200 X 550 mm
ITEM No.15	HYDRAULIC FLASK PRESS Main Features: 1. Described as reliable. 2. Easy to use with study. 3. Durable construction. 4. Can accommodate up to three flasks. 5. Pressure of 400 bar. 6. The pleo dynamic circuit is absolutely leak proof & no maintenance is required. 7. Heavy duty hydraulic press with pressure gauge and inbuilt well tank. Technical Data. 1. Power Supply 230V 50/60 Hz,80 W 2. Weight 22Kg. 3. Dimension 200 X 200 X 550 mm PHYSIODISPENSER MICRO MOTOR SYSTEM AND ELECTRONIC MOTOR
	HYDRAULIC FLASK PRESS Main Features: 1. Described as reliable. 2. Easy to use with study. 3. Durable construction. 4. Can accommodate up to three flasks. 5. Pressure of 400 bar. 6. The pleo dynamic circuit is absolutely leak proof & no maintenance is required. 7. Heavy duty hydraulic press with pressure gauge and inbuilt well tank. Technical Data. 1. Power Supply 230V 50/60 Hz,80 W 2. Weight 22Kg. 3. Dimension 200 X 200 X 550 mm PHYSIODISPENSER MICRO MOTOR SYSTEM AND ELECTRONIC MOTOR System should be used in implant logy and microsurgery, which should be
	HYDRAULIC FLASK PRESS Main Features: 1. Described as reliable. 2. Easy to use with study. 3. Durable construction. 4. Can accommodate up to three flasks. 5. Pressure of 400 bar. 6. The pleo dynamic circuit is absolutely leak proof & no maintenance is required. 7. Heavy duty hydraulic press with pressure gauge and inbuilt well tank. Technical Data. 1. Power Supply 230V 50/60 Hz,80 W 2. Weight 22Kg. 3. Dimension 200 X 200 X 550 mm PHYSIODISPENSER MICRO MOTOR SYSTEM AND ELECTRONIC MOTOR System should be used in implant logy and microsurgery, which should be designed for drilling, screwing and sawing, with and inbuilt irrigation
	HYDRAULIC FLASK PRESS Main Features: 1. Described as reliable. 2. Easy to use with study. 3. Durable construction. 4. Can accommodate up to three flasks. 5. Pressure of 400 bar. 6. The pleo dynamic circuit is absolutely leak proof & no maintenance is required. 7. Heavy duty hydraulic press with pressure gauge and inbuilt well tank. Technical Data. 1. Power Supply 230V 50/60 Hz,80 W 2. Weight 22Kg. 3. Dimension 200 X 200 X 550 mm PHYSIODISPENSER MICRO MOTOR SYSTEM AND ELECTRONIC MOTOR System should be used in implant logy and microsurgery, which should be designed for drilling, screwing and sawing, with and inbuilt irrigation system.
	HYDRAULIC FLASK PRESS Main Features: 1. Described as reliable. 2. Easy to use with study. 3. Durable construction. 4. Can accommodate up to three flasks. 5. Pressure of 400 bar. 6. The pleo dynamic circuit is absolutely leak proof & no maintenance is required. 7. Heavy duty hydraulic press with pressure gauge and inbuilt well tank. Technical Data. 1. Power Supply 230V 50/60 Hz,80 W 2. Weight 22Kg. 3. Dimension 200 X 200 X 550 mm PHYSIODISPENSER MICRO MOTOR SYSTEM AND ELECTRONIC MOTOR System should be used in implant logy and microsurgery, which should be designed for drilling, screwing and sawing, with and inbuilt irrigation system. 1. Contra-angle hand piece.
	HYDRAULIC FLASK PRESS Main Features: 1. Described as reliable. 2. Easy to use with study. 3. Durable construction. 4. Can accommodate up to three flasks. 5. Pressure of 400 bar. 6. The pleo dynamic circuit is absolutely leak proof & no maintenance is required. 7. Heavy duty hydraulic press with pressure gauge and inbuilt well tank. Technical Data. 1. Power Supply 230V 50/60 Hz,80 W 2. Weight 22Kg. 3. Dimension 200 X 200 X 550 mm PHYSIODISPENSER MICRO MOTOR SYSTEM AND ELECTRONIC MOTOR System should be used in implant logy and microsurgery, which should be designed for drilling, screwing and sawing, with and inbuilt irrigation system.

4. Mucotome.

Technical Specifications:

- 1. Voltage changeable; 230V/50-60 Hz.
- 2. Power 130 VA
- 3. Protection level class 1
- 4. Motor speed 500 40,000rpm
- 5. Max torque 10 Ncm.

Accessories:

- 1. Clip set motor cable.
- 2. Clip set contra angle.
- 3. Tubings.
- 4. Disposable tubing set standard and sterile.
- 5. Cooling fluid flask.
- 6. Cleaning spray.

Electronicomotor

Specification-

- 1. Weight 245-280g
- 2. Max. output 100 120 w
- 3. Max current 6A 8A
- 4. Rated voltage 35 V 40V
- 5. Rated speed 40,000 rpm.
- 6. Coupling preent.
- 7. Cord length 2m to 3m
- 8. Autoclavable.

ITEM No.17

ADVASNE DENTAL IMPLANT SURGICAL KIT UNITS NEEDED - 03

TECHNICAL SPECIFICATIONS AND PRODUC T DETAILS

- 1. The implant should be root shaped.
- 2. The implant should have minimum of 10 years follow up of immediately loaded implants with TiUnite Porous Anodized Surface.
- 3. The implant should have treated surface to ensure better tissue response, primary stability and faster osseointegration.
- 4. US FDA & CE approved.
- 5. The implant system should be approved for immediate function by the FDA.
- 6. The implant design incorporates the variable design pattern of the threads from
- 7. The collar height to the apex to adapt for the different levels of the bone.
- 8. The implant should Tri Channel Internal Connection for the Abutment to prevent rotation and ensure secure the position of abutment inside the implant even if the access and visibility are compromised(eg. In posterior implant palacements)
- 9. The Implant system should have colour-coded mechanism from the drills to implants and abutments.
- 10. The implant system should maintain the initial stability and provides immediate function at a torque level of 35 ncm.
- 11. Implant system currently used on all of the clinical indication for implants with a clinical success rate of 95% after up to 18th months of

- prosthetic loading.
- 12. Implant system should have solutions documented in peer-reviewed scientific publications of international repute.
- 13. The surface of the implant made from cold worked CP 4 grde Titanium with a strength of 860Mpa.
- 14. The implant should come with a Global Life Time Warranty.
- 15. he implant should have cement as well as screw retained prosthetic options available.
- 16. Implant system shoud have two piece systems with internal connection that gives a tactile and direct feel while positioning prosthetic components.
- 17. Implant should have standardized easy drilling protocol.
- 18. The implant should with the diameter of 3.5 mm, 4.3mm, 5.0mm
- 19. The implants should be available in lengths of 8mm, 10mm, 11.5mm, 13mm, 16mm and to be in sterile pack.
- 20. The surgical Kit should consist of manual torque wrench with Torque Reading as 15, 35 Ncm Torque.
- 21. Surgical Kit should be autoclvable.
- 22. The Surgical Kit should have length specific Drills for accuracy in implants placement.
- 23. The Drills should be Amorphous Diamond Coated for Reuse of the Drills.
- 24. The Drills should be with Internal Irrigation Cooling Option.

Prosthetic Solutions

Fixed Cement able Prosthetic Options:

- 1. Snappy abutment.
- Single and multiple unit, cement retained abutment for posterior restorations.
- One package includes everything needed: abutment and screw, impression coping healing cap and temporary coping.
- Available in collar heights of 0.5 to 3mm for all 3 systems.

2. Esthetic abutment:

- Pre-fabricated available in Titanium and Zirconia for single and multiple-unit cement retained restorations.
- Scalloped margin designed to profile nature soft tissue contours.
- Available in straight and with 15 degree angulations.

Fixed Screw Retained Prosthetic Option:

- 1. Multi Unit abutment:
- Multiple-Unit, Screw-retained restorations(e.g. PIB)
- Selection of collar heights available i.e0-5 mm for all 3 systems.
- Straight and angled (17degree and 30 degree) alternatives compensate angulations of diverging implants.

Removable Prosthetic Option:

Locator Abutment:

• Designed to facilitate removable implant retained over denture.

	• Allows for implant angle divergence of maximum 40	
	degrees.	
	• Multiple collar heights available ie. 0-6mm for all 3	
	systems.	
	Other Prosthetic Components:	
	Open Tray Impression Coping.	
	• Available for all 3 systems & are reusable components.	
	Closed Tray Impression Coping:	
	Available in plastic & metallic.	
	Reusable components.	
	Implant Replicas/Analogues: Available for all 3 systems & are	
	reusable components.	
ITEM No.18	CORDLESS LED SURGICAL HEADLIGHT UNIT	
	Surgical headlamp features & specifications-	
	1) Battery Longevity.	
	2) Co-axial Beam Angle.	
	3) Rapid USB Charging.	
	4) Battery Fuel Gauge.	
	5) Enhanced Spot.	
	6) Digital Dimming.	
	7) Cordless and Comfortable	
	Accessories: 1. Headlight.	
	2. Lithium Polymer Battery Packs.	
	3. USB Cord.	
	4. Power Outlet Adapter.	
	5. Secure Carrying Case.	
	5. Secure Carrying Case.	
ITEM No.19	LIGHT CURE UNIT WITH CORDLESS DIGITAL LED DISPLAY (LED BASED)	
	A. Curing hand pieces, cordless design.	
	B. The special high performance diode mechanism can polymerize an	
	average 3 mm thickness of material within 10 Sec.	
	C. There should be three settings and multiple cure time 5 to 20 (
	5,10,15,20) Sec beep every five Sec.	
	a) Full Power.	
	b) Soft up.	
	c) Impulse.	
	D. LED lamps 5 Watt blue lighting diode.(Minimum 4 watt, Maximum 7	
	watt.	
	E. LED lamp life time up to 100, 00 hrs.	
	F. Wave length 450 mm and above.	
	G. Luminosity 800 – 1200 mw/Cm(Minimum Luminosity 800 Maximum 1200mw/cm	
	H. Powers supply 220-240 vol. 50 Hz.	
	I. With eye shield.	
	J. Intensity meter incorporated with the unit or separately.	
	3. Intensity meter incorporated with the unit of separatery.	

	K. High power lithium polymer battery for capacity 60 minutes
ITEM No 20	PIEZOELECTRIC ULTRASONIC SCALER.
ITEM No.20	A) Scalar hand piece can be completely sterilized by autoclaving.
	B) It should be accompanied with four titanium tips.
	C) Technical specification
	i) Voltage 230 V 50/60 Hz.
	ii) Minimum vibration frequency 28 – 36 KHZ(Mimimum 28
	KHZ Maximum 36 KHZ
	iii) Water pressure 1 to 5 bar.
	iv) Hand piece cord 2000 mm
	Traile piece core 2000 mm
ITEM No.21	PULP TESTER DIGITAL
	i. Digital display which is battery operated.
	ii. Preset speed mode(high-mid-low)
	iii. A Gentle, pulsed stimulus begins to increase at a rate easy to operate.
	iv. Specifically designed for patient comfort.
	v. Convenient to operate. Maximum stimulus 80 volt.
	vi. The device turns itself off after three minutes.
	vii. Standard battery 9 Volt batteries.
ITEM No.22	AUTOMATIC X-RAY DEVELOPER
	i. Open room operation.
	ii. Reliable and easy to use.
	ii. Wall mounted or table top developing.
	v. Speed 2-8 units per cycle with a minimum interval of 30 secs.
	v. Mention of replacement date reminder.
	vi. Removable caps for the solution.
ITEM No.23	TYPHODONT
1121/11/0020	Typhodont with articulated jaw set with removable teeth set
ITEM No.24	SET OF PLIERS
	The instrument should be made of good quality stainless steel and cutting
	instruments are to be made of tungsten carbide tip. 1. Straight How Plier.
	2. Curved How Plier.
	3. Tweed's rectangular arch forming.
	4. Bird beak plier.
	5. Three jaw straight plier.
	6. Jarabak's plier.
	7. Band seating plier.
	8. Lingual arch forming plier.
	9. Light wire plier.
	10. Tweed's loop forming plier.
	11. Nance loop forming plier.
	12. Band contouring plier.

- 14. Sliding hook crimping plier.
- 15. Pin and ligature cutter.
- 16. 45 degree ligature cutter.(carbide tip)
- 17. Hard wire cutter(carbide tip)
- 18. Posterior band remover.
- 19. Heavy wire cutter(carbide tip)
- 20. Arch wire cutter(carbide tip)
- 21. Adams plier.
- 22. Plier rack.
- 23. Debonding plier.
- 24. Band seater.
- 25. Bracket placer anterior/posterior.
- 26. Boon's gauge.
- 27. Dontrix gauge-Dynamometer.
- 28. Mosquito forceps.
- 29. De La Rosa plier.
- 30. Band cutting scissors.
- 31. Separator placing plier.

Abutment Replics/Analogues: Available for all the abutments & are reusable components.

Healing Abutments/Gingival Former:

- Available for all 3 systems.
- Available in different tissue heights.
- Reusable, components.
- There should be minimum of 3 surgical Kit (autoclavable) having the entire droll bit and other equipment necessary for implant placement.
- The Software for surgical guide to be included in the package.
- It should also include all on 4 treatment concept.
- The Company should arrange a teaching for the faculty of the college for
 - a) Single implant placement.
 - b) All in-4 treatment concepts.
 - c) Full month rehabilitation.
 - d) Each implant is to be accompanied by abutment, healing cap, screw including prosthetic component.

Warranty	1 years
AMC& CMC	2 years

SCHEDULE-4

Annexure-I

PROFORMA FOR PERFORMANCE STATEMENT

(For the period of last three years)

Date of openir	ng:			Т	ime:		
Name and add	ress of th	e bidder:					
Name and add	ress of th	e manufactu	rer:				
Order placed	Order	Description	Value	Date of co	mpletion	Remarks	Have the
by (full address of	number and date	and quantity	of Order*	of Contract		indicatin g	goods been functioning
Purchaser with	and date	of ordered	(Rs.)	Contract		reasons	Satisfactorily
phone number)		goods and services with the warranty period for similar nature of works.		As per contract	Actual	for delay if any	(attach documentary proof)

Signature and seal of the bidder

IFB No.:

^{*} Value including all taxes.

Annexure-II

BID FORM AND PRICE SCHEDULES

IFB No. Date

To

The Governor of Assam Through the Director of Medical Education, Assam, Sixmile, Khanapara, Guwahati-22"

Gentlemen,

Having examined the bidding documents the receipt of which is hereby duly acknowledged, we, the undersigned, offer to supply and deliver (description of goods and services) in conformity with the said bidding documents for the sum of (total bid amount in words and figures) or such other sums as may be ascertained in accordance with the schedule of prices attached herewith and made part of this bid.

We undertake, if our bid is accepted, to commence delivery within (number) days and to complete delivery of all the items specified in the contract and to perform all the incidental services within (number) days calculated from the date of your notification of award.

If our bid is accepted, we will obtain the guarantee of a bank in a sum not exceeding 5 (Five) percent of the contract price for the due Performance of the contract.

We agree to abide by this bid for a period 365 days from the date of opening of the bid (please specify the calculated date) and it shall remain bidding up on us and may be accepted at any time before the expiration of that period.

Until a formal contract is prepared and executed, this bid, together with your written acceptance thereof and your notification of award, shall constitute a binding contract between us.

We understand that you are not bound to accept the lowest or any bid you may receive.

Dated thisday of
Signature (in the capacity of)
Duly authorized to sign tender for and on behalf of

Annexure-III

PRICE SCHEDULE FOR DOMESTIC GOODS OR GOODS OF FOREIGN ORIGIN LOCATED WITHIN INDIA

Sl.	Item	Country	Quantity		Price per unit					Unit	Total	Sales
No.	Description	of		Ex-	Excise	Packing	Inland	Insu-	Inci	Price	Price	and
		Origin		factory/	Duty	and	Trans-	rance	den-	Inclu-	Inclu-	other
				Ex-ware-	(if	For-	potation	and	tal	ding	ing	Taxes/
				house/	any)	war-	(d)	Incidental	Services	Ex-cise	Excise Duty	duties Payable,
				Ex-show- room/	(b)	ding ©		costs (e)	(including supervi-	Duty [a+b+c	4x6	if
				Off-the				(6)	super vi-	+	77.0	Contract
				shelf					(f)	d+e+f]		is
				(a)					(-)			awar
												ded
1	2	3	4				5			6	7	8

Total b In word	id price ii ds:	n Rupees:						
Date: Place:					Namo	ature of b		
NOTE: (i) In case of discrepancy between unit price and total price, the unit price shall prevail.								

Annexure-IV BANK GUARANTEE FORM FOR PERFORMANCE SECURITY/ CMC SECURITY

To The (Name and address of the purchaser). WHEREAS
(Name and address of the supplier) (Hereinafter called "the supplier") has undertaken, in
pursuance of contract no dated to supply
(description of goods and services) (herein after called "the contract"). AND WHEREAS it has
been stipulated by you in the said contract that the supplier shall furnish you with a bank
guarantee by a scheduled commercial bank recognised by you for the sum specified therein as
security for compliance with its obligations in accordance with the contract; AND WHEREAS
we have agreed to give the supplier such a bank guarantee; NOW THEREFORE we hereby
affirm that we are guarantors and responsible to you, on behalf of the supplier, up to a total of.
(Amount of the guarantee in words and figures), and we undertake
to pay you, upon your first written demand declaring the supplier to be in default under the
contract and without cavil or argument, any sum or sums within the limits of (amount of
guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your
demand or the sum specified therein. We hereby waive the necessity of your demanding the
said debt from the supplier before presenting us with the demand. We further agree that no
change or addition to or other modification of the terms of the contract to be performed there
under or of any of the contract documents which may be made between you and the supplier
shall in any way release us from any liability under this guarantee and we hereby waive notice
of any such change, addition or modification. This guarantee shall be valid up to 62 months
from the date of satisfactory installation of the equipment i.e. up to (indicate date).
(Signature with date of the authorised officer of the Bank)
Seal, name & address of the Bank and address of the Branch

Annexure – V

DECLARATION

On

Manufacturing facilities / After Sales Service

Tender enquiry No

For supply of

- 1 Name of the bidder
- 2 Full Postal Address
- 3 Telephone No./Fax No.
- 4 Email address
- 5 Date of inception of business
- 6 Registration no. & Date
- 7 Issued by
- 8 Valid till
- 9 Details of manufacturing activity & item wise capacity
- 10 Detail of After Sales Service facilities available locally Name of the Agency

Full Postal Address

Phone / Fax / E-mail

11 Name of person responsible for 10 above

Sl.	Name	Designation	Age	Residential Address
No.				

- 12 Has the bidder ever been black listed by any govt. agency? If yes, give details
- Has any cases pending in the court related to any supplies? If yes, give details
- 14 Does the firm have the adequate facilities for inspection and quality control? Please give details

I,	Proprietor/ Partner /Director of
M/s	hereby declare that
the information given in this form is true	and correct to the best of my knowledge & belief. I/we
agree to the tender Inviting Authority for	feiting the Earnest Money Deposit and/or Performance
Security Deposit and blacklisting us for	a period of 5 years, if any information furnished by us
proved to be false at the time of inspection	on and non - compliance with terms and conditions of
the contract	
I offer to supply the items mentioned in therein. I agree to hold this offer for one	the schedule (enclosed in price bid) at the rates quoted year after finalization of rate contract.
Dated:	Signature
	Name of the bidder
	Address

ANNEXURE-VI

ANNUAL TURN OVER STATEMENT

The Annual Turnover of M/s	_ for the past
three years and concurrent commitment for the current financial year are given below a	and certified
that the statement is true and correct.	

Sl. No	Year	Turnover (Rs. in lakhs)
1	2009-10	
2	2010-11	
3	2011-12	
	Total	
	Average turnover per annum	

Date:	Signature of Auditor/ Chartered Accountant
Seal:	(Name in Capital)

Annexure-VII

UNDERTAKING

	The Governor of Assam Through the Director of Medical Education, Assam, Sixmile, Khanapara, Guwahati-22"		
IFB NO)		
Sir,			
1.	I, Shri, on behalf of M/s having registered office at having registered office at having and conditions mentioned for the above and undertake to comply with all tender terms and conditions. The rates quoted by me/us are valid and binding or me/us for acceptance for a period of one year from the date of award of contract to us.		
2.	I/We undersigned hereby bind myself/ourselves to the purchaser to supply all the offered equipment. The rates quoted by me/us for the items tendered for are specific against each. It is certified that rates quoted are lowest quoted for any institution in India and not higher than the MRP/ prevailing market rate.		
3.	The articles shall be strictly as per specification and of the best quality as per requirement of the institution. The decision of the Office of The Director of Medical Education, Assam (hereinafter called the said Director) as regards to the quality and specification of article shall be final and binding on me/us.		

- 4. We undertake to provide back up services of Trained Technical Personnel on round-the-clock basis for emergency problem.
- 5. We undertake and confirm that the equipment shall be covered by our standard warranty as shown in the requirement. In case of any defect reported, the defective part shall be replaced.
- 6. We shall organize technical seminars / workshops at various locations within the State to impart education and training to the medical professionals as and when requested by the purchaser.
- 7. We agree to the conditions of the tender under which the EARNEST MONEY DEPOSIT and PERFORMANCE SECURITY DEPOSIT shall be forfeited by us.
- 8. We agree to accept the amount of the bill to be paid by the purchaser after completion of all codal formalities and should any amount of the bill found by the purchaser/auditors to have been over-paid; the amount so found shall be refunded by me/us.

- 9. We hereby undertake to supply the items during the validity of the tender as per direction given in supply order within the stipulated period.
- 10. We understand all the terms and conditions of the contract and bind myself/ourselves to abide by them.
- 11. We hereby declare that there is no vigilance/anti-corruption or court case pending against us at the moment.

SIGNATURE :

NAME & DESIGNATION :

DATE :

NAME & ADDRESS OF

THE FIRM

SEAL :

ANNEXURE-VIII

UNDERTAKING ON FRAUD AND CORRUPTION

We M/s	Do hereby undertake that, in
competing for (and, if the award is made to u	as, in executing) the subject contract for supply of
Equipment under tender reference no	Dt We shall strictly
observe the laws against fraud and corruption in	force in the country.
	Sd/- Signature of proprietor/Partner/Director
	Designation:
	Seal:

Annexure-IX

MANUFACTURERS' AUTHORISATION FORM

То,	The Director of Medical Educatio Sixmile, Khanapara, Guwahati-22"	n, Assam,		
Dea	r Sir,			
IFB	No			
	We		., who are established	ed and reputable
man	ufacturers of		, having	factories at
	, and,	hereby	authorize	Messrs.
		(name and add	lress of agents) to be	id, negotiate and
cond	clude the contract with you against II	FB No		for the above
good	ds manufactured by us.			
nego	company or firm or individual other otiate and conclude the contract in regusiness in the entire territory of India	gard to this busine		
	agency commission ofsrs		he gross ex-works pi	rice is payable to
	hereby extend our full guarantee arred for supply against this Invitation f	• •		ct for the goods
Our	other responsibilities include:			
(i)				
(ii).				
(her	e specify in detail manufacturer's resp	ponsibilities)		
	services to be rendered by Messrs			:
(ii).				
(her	e specify the services to be rendered by	by the agent).		Yours faithfully, (name)
For	and on behalf of Messrs	(name o	of manufacturer)	

NOTE: This letter of authorization should be on the letterhead of the manufacturing concern and should be signed by a person competent and having the power of attorney to bind the manufacturer. **A copy of notarized power of attorney should also be furnished.**

ANNEXURE-X

AGREED TERMS & CONDITIONS

IFB No.____

ls of Bidder		
Bidder		
Offer Ref		
Contact Person:		
Telephone No.		
Fax No.		
F mail:		

B. <u>Definitions</u>

Signature:

- 1. "Purchaser" means Director of Medical Education, Assam or his authorized representative.
- 2. "Bidder" or "Tenderer" means a person or firm or company who has made an offer for supply of goods and /or service as per tender.
- 3. "Vendor" or "Supplier" means a person or firm or company, to whom the order is addressed for supply of goods and /or services.
- 4. "Site" means the premises of the Medical Colleges of Assam or any other place as decided by the purchaser.

NOTE: The questionnaire below must be duly filled in and should be enclosed with the bid. Clauses confirmed here under should not be repeated. All commercial terms and conditions should be indicated in this format. If necessary, details including deviations to the terms and conditions of the bid document, if any, should be enclosed as annexure to this questionnaire. Clauses not applicable or not relevant may be marked NA.

Sl.	Description	Vendor's Confirmation
No.		(Confirmed/Noted/Deviation/
СТо	chnical	furnished separately)
1.	Confirm that you meet the eligibility criteria as	
1.	per bid document and have furnished relevant	
	documents.	
2.	Confirm acceptance of Technical Specification	
	And scope of supply as per Tender Document.	
3.	In case of deviations, confirm that the same have	
	been highlighted separately.	
4.	Confirm that equipment catalogue and technical	
	data, wherever applicable, have been enclosed.	
5.	Confirm that all certificates/ deviations furnished.	
6.	Confirm that Earnest Money Deposited (EMD) as	
0.	per bid document, for each schedule quoted,	
	enclosed.	
D. Co	mmercial	
1.	It is noted that any deviations to the commercial	
	terms and conditions shall lead to loading of	
	prices or rejection of offer.	
2.	Confirm that the quoted prices are on duly	
	installed and commissioned at site basis including	
	packing & forwarding (P & F) all duties and taxes	
	viz. Excise Duty, Sales Tax/VAT, freight,	
	insurance, installation & commissioning at site.	
3.	Confirm furnishing of detail price break-up of each item showing all components of cost	
	separately with basic price of equipment and	
	other costs on %age of basic price to arrive at	
	landed price in D2 above.	
4.	It is noted that the statutory variations in taxes	
	and duties within the Contractual delivery period	
	shall be borne by the purchaser.	
5.	If there is any variation or fresh imposition of	
	Excise Duty at the time of supply due to various	
	reasons, including turn-over, confirm that the	
6.	same shall be borne by you.	
υ.	It 5 above is not acceptable, advise maximum possible rate of ED chargeable, which shall be	
	loaded to you price.	
7.	Confirm that in case of delay on you account any	
"	new or additional duties and taxes imposed after	
	the contractual delivery date shall be to you	
	account. This will be in addition to Price	
	Reduction for Delay in Delivery.	
8.	Confirm acceptance of Price Reduction Schedule	
	for delay in Delivery @ 0.5% of delayed value of	
	goods per week of delay or part thereof subject to	
9.	maximum of 10% of the total order of value. Indicate Firm Delivery Period, which shall be	
9.	mulcate film Denvery Feriou, which shall be	

counted from the date of placement of order and
counted from the date of placement of order and
late of commissioning and acceptance of the
nstalled equipment by purchaser's representative
shall be considered as the delivery completion
late.
Confirm acceptance of relevant payment terms
pecified in the bid document.
Force Majuere—Delivery period, price reduction
ermination etc are subject Force Majuere
Condition as stipulated in the bid document.
Confirm that the quoted prices shall remain firm
& fixed till complete execution of the order.
1) In case you are a manufacturer confirm that the
prices quoted are not higher in any respect than
quoted / agreed prices to any Govt. or Public
Medical Institution.
o) In case you are a dealer/ distributor /
authorized agent, confirm that the prices quoted
are as per manufacturer's price list with
appropriated discount (Copy of Price list to be
enclosed).
Confirm that all inspection & testing charges
ncluding 3 rd party inspection (if required)
ncluded in the price.
o) Quality Control Reports and Test Certificates,
whenever applicable, shall be handed over to the
ourchaser along with the equipment.
n) Confirm that erection, commissioning, trial run
and handing over to the purchaser, after
successful commissioning is your responsibility
at no extra cost.
b) Specify facilities (if any), like water supply/
electric power to be provided by the purchaser for
commissioning of the equipment.
Packing / forwarding, transportation, loading/
inloading and insurance are your responsibility.
However, to protect the equipment from
physical damages and/or deterioration due to
weather during transit, you are to ensure proper
packing & lifting arrangement. Pl confirm
compliance.
The material / equipment shall be guaranteed
against any and all defects in design,
workmanship, material & performance for a
period shown in the Technical specification, from
he date of commissioning and handing over to
he purchaser. Should any defect detected or
levelop during the guarantee period, it shall be
emedied promptly free of cost by the supplier
and all expenses including transportation of
goods necessitated for such repair and
replacement shall be done by the supplier. Pl
epiacement shall be done by the supplier. IT

18.	Confirm that Performance Bank Guarantee shall	
	be furnished for 5% of the total order value valid	
	till guarantee period of the goods.	
19.	Confirm acceptance of Part order.	
20.	Confirm acceptance of Repeat order within 12	
	months from the date of basic order at same price and terms & conditions.	
21.	It is noted that the purchaser would disown any	
	responsibility / liability toward irregularity,	
	contravention or infringement of any statutory	
	regulations including those of patent, on	
	manufacture or supply of goods covered by the	
	order.	
22.	Terms & Conditions indicated in this format shall	
	not be repeated in the bid. Terms & Condition	
	indicated elsewhere and contradicting those in	
	this format shall be ignored. Confirm compliance.	
23.	Confirm that you shall observe the highest	
	standard of ethics during bidding and in case	
	favoured with an order, during execution of the	
	order, without resorting to any fraud, corruption	
	and/or coercion.	
24.	Confirm that the offer shall be valid for a period	
	of 365 days from the date of bid opening.	

Annexure-XI

EMD (BID SECURITY) FORM (BANK GUARANTEE)

Whereas
KNOW ALL MEN by these presents that we
Sealed with the common seal of the said bank this \dots day of \dots , 2012 .
The conditions of this obligation are:
 If the bidder withdraws its bid during the period of bid validity specified by the bidder on the bid form or If the bidder, having been notified of the acceptance of its bid by the purchaser during the period of bid validity. (a) fails or refuses to execute the contract form, if required or; (b) fails or refuses to furnish the Performance Security, in accordance with the clauses of the tender.
We undertake to pay to the purchaser up to the above amount upon receipt of its first written demand, without the purchaser having to substantiate its demand, provided that in its demand the purchaser will note that the amount claimed by it, is due to it, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions. This guarantee will remain in force up to and including 90 (Ninety) days after the period of bid validity or as it may be extended by the purchaser, notice of which extension(s) to the bank is hereby waived and any demand in respect thereof should reach the bank not later than the above date.
Signature of the bank
Seal Date Place Witness (signature, name and address)
(Signature, name and address)

Annexure-XII

PERFORMANCE SECURITY FORM (BANK GUARANTEE)

To The Governor of Assam
Whereas
And whereas it has been stipulated by you in the said contract that the supplier shall furnish you with a bank guarantee by a recognized bank for the sum specified therein as security for compliance with its obligations in accordance with the contract.
And whereas we have agreed to give the supplier such a bank guarantee.
Now therefore we hereby affirm that we are guarantors and responsible to you, on behalf of the supplier, up to a total of
We hereby waive the necessity of your demanding the said debt from the supplier before presenting us with the demand.
We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification. This guarantee shall be valid for the entire period of warranty from the date of completion of order.
Place and Date Signature and seal of the guarantor

Annexure-XIII

CONTRACT FORM

(To be stamped as an agreement in the court stamp paper valued Rs. 100/-)

This agreement made the				
Whereas the purchaser is desirous that certain goods and ancillary services, viz. (brie description of goods and services) and has accepted a bid by the supplier for supply of those goods and services in the sum of (contract price in words and figures) (hereinafter "the contract price").				
Now this	s Agreement witnesses	as follows:		
01.The fagreeme	_	hall be deemed to for	orm and be read and	construed as part of this
 (a) the Technical Specifications, (b) the Terms and Conditions of the Tender Document (c) the Supplier's bid and original Price Schedules and (d) the Purchaser's Notification of Award 02. In consideration of the payments to be made by the purchaser to the supplier as hereinafter mentioned, the supplier hereby covenants with the purchaser to provide the goods and services 				
03.The properties of the prope	nd services and the ren	nants to pay the sup nedying of defects the the provisions of the Brief particulars of	oplier in consideration nerein, the contract proper contract at the time	n of the provision of the rice or such other sum as mes and in the manner ervices which shall be
SL. No.	Brief description Of goods/services	Quantity to be supplied	Unit price	Delivery terms (FOB/CIF/FOR etc)
Total value: Delivery schedule: In witness whereof the parties hereto have caused this agreement to be executed in				
accordar	nce with their respective	ve laws the day and y	ear first above writte	n.
	sealed and delivered by			chaser)
	sealed and delivered by			pplier)