GOVERNMENT OF ASSAM HEALTH & FAMILY WELFARE (A) DEPARTMENT DISPUR ::: GUWAHATI

HLA.270/2020/116

Dated Dispur the 8th April, 2020

STANDARD OPERATING PROCEDURE (SOP) FOR RELEASE FROM QUARANTINE

In view of outbreak of COVID-19 in the country, a number of persons who returned from other parts of the country / abroad to Assam are either under home or institutional quarantine. These persons will start completing mandatory period of quarantine shortly.

Further, even in future, more such persons are likely to come back to the state, who will also have to be put under home/institutional quarantine. They will also have to be released or put under Isolation depending upon their condition during the quarantine period.

It is, therefore, felt necessary that an SoP is put in place to take action on the expiry of the mandatory quarantine period of such persons.

PROCESS TO BE FOLLOWED

A. For persons under Institutional Quarantine:

- 1. In an Institutional Quarantine facility, a Medical team is already deputed with a Medical Officer and other paramedics to monitor the health of the people under quarantine.
- 2. In case a person completes mandatory Quarantine period without any symptoms, then the Medical Team will examine such persons at the end of the Quarantine period and take steps to release him/her from Institutional Quarantine and advise him/her to remain in Passive Surveillance at his home for another 14 days with a direction to self-report for onset of any symptoms to FLWs or to #104 for further necessary action.
- 3. For people without symptoms, the release from Quarantine shall be done only with the prior approval of the Assam COVID-19 Discharge Board constituted vide order No. HLA 270/2020/102 dated 05/04/2020. The eligible person(s) will be given a release certificate along with leaflet stating all necessary guidelines for Passive Surveillance from the respective in-charge of the facility centre. Copy of the release certificate along with guidelines are enclosed as Annexure.

Onis 874)20 4. If the Medical Team discovers any symptoms amongst the Quarantined persons, then steps need to be taken for their immediate testing and subsequent action as per the outcome of the test results, as per standard protocol.

B. For persons under Home Quarantine:

- 1. Those persons, who have been put under Home Quarantine by the Surveillance teams, shall be periodically examined by Front Line Workers (FLWs) of the Health & Family Welfare Department like ANM/ASHA/MPW/SW etc.
- 2. When such persons under Home Quarantine complete mandatory period of such Quarantine, the FLWs have to visit their homes as per the schedule available with them and if found without symptoms, the FLWs shall release them from Home Quarantine.

They shall further advice such persons to remain in Passive Surveillance for another 14 days with a direction to self-report onset of any symptoms to FLWs or to #104 for further necessary action.

- 3. If the FLWs detect any onset of symptoms like cough, fever, breathlessness or any other respiratory symptoms etc. they should immediately report such cases to the Medical Officer of their respective BPHCs.
- 4. On receipt of such information, such person shall be examined at his home by the Surveillance Medical Team and appropriate action is to be taken for testing of such persons and subsequent actions are to be taken based on the outcome of the test results as per standard protocol.

Principal Secretary to the Govt. of Assam Health & Family Welfare Department

Memo HLA.270/2020/116-A

Copy to:


- 1. The Chairman, Assam Administrative Tribunal.
- 2. The Chairman, Assam Board of Revenue.
- 3. The Chief Secretary, Govt. of Assam.
- 4. The DGP, Assam.
- 5. The Principal Secretary to Hon'ble Chief Minister, Assam.
- 6. The Special Secretary to the Govt. of Assam, Health & FW (B) Department.
- 7. All Deputy Commissioners / Sub-Divisional Officers for information.
- 8. The Mission Director, National Health Mission, Assam.
- 9. The DME/DHS Assam for necessary action.
- 10. All Principal/Superintendents, Medical Colleges of Assam.
- 11. The SSO, IDSP, Assam, O/o National Health Mission, Assam.
- 12. All Joint Director of Health Services, Assam for necessary action.
- 13. The DSOs, IDSP, all districts for information and necessary action.
- 14. All Superintendents of District Hospitals.
- 15.P.S. to Hon'ble Minister, Health & Family Welfare Department, Govt. of Assam.
- 16.P.S. to Hon'ble Minister of State, Health & Family Welfare Department, Govt. of Assam.

17.Office Copy.

By order etc.


Commissioner & Secretary to Govt. of Assam Health & Family Welfare Department

Release of persons under Institutional Quarantine



Note: People who have come in contact with confirmed positive case shall continue to be in facility quarantine for at least 14 days from the day he was brought to the quarantine facility.

Release of persons under Home Quarantine







Release Certificate - for Institutional Quarantined person

dentification Number	
Name of the Facility	
Name of the Person	
Date of entry in the quarantine facility	
Age Sex Religion	Contact No
Name of the Block PHC / PHC	
Address with landmark	
Date of Admission to the Quarantine Facility:	Release Date:
On release – Advise for Home Quarantine including	self-monitoring and reporting:
Starting date	Ending date
Home Quarantine given by the quarantine facility under appropriate sections of law.	, failing of which the person will be liable to be booked
In-charge (Signature)	Office Seal
Name:	
Designation:	
Date:	
NB: For home quarantine, the person should repossible develops any fever / cough / breathing difficulties.	ort to the nearest PHC / BPHC / Hospital or call "104" if he culty
Enclosure: Instructions for Home Quarantine.	





Guidelines for Quarantine people and their family members with respect to the discharge from Quarantine facility and follow up action in the community

The Concerned Quarantine Person should:

- Provide details of your stay for next 14 days including the contact numbers.
- Obtain the contact details of officials of the quarantine health facilities for follow up and reporting in case of any issue.
- Stay in a well-ventilated single-room preferably with an attached/separate tollet. If no separate room is available, continue to stay in the facility quarantine for next 14 days.
- Needs to stay away from elderly people, pregnant women, children and persons with co-morbidities (Hypertension, Diabetes, Kidney disease) within the household.Restrict his/her movement within the house.
- Under no circumstances attend any social/religious gathering e.g. wedding, condolences.
- Wash hand as often thoroughly with soap and water or with alcohol-based hand sanitizer.
- Avoid sharing household items e.g. dishes, drinking glasses, cups, eating utensils, towels, bedding, or other items with other people at home.
- Use triple layer surgical mask all the time. Change the mask every 6-8 hours. Used masks should be disinfected using ordinary 5% bleach solution (150 gm in 1 litre of water) or sodium hypochlorite solution (1%) and then disposed of either by burning or deep burlal.
- · Use handkerchief while sneezing or coughing.
- If symptoms appear (cough/fever/difficulty in breathing), he/she should immediately report
 to the nearby health facility or CALL "104". Identify one care giver (among family members)
 who will only accompany you. He / she will wear mask and wash hands, every time he/ she comes
 in contact with you.
- · Monitor your temperature twice daily.
- Retain the aircraft boarding pass/ rail ticket/ details of Journey by taxi (including contact number of drivers etc).
- Monitor your health for a period of next 14 days (after leaving the quarantine centre) and inform about your health to health workers at the end of 14 days.
- Allow attendance by health workers / respond to call received from Health functionaries. Keep their contact numbers handy.

Advice to other family members at home:

- Only an assigned family member should be tasked with taking care of the such person
- Avoid shaking the soiled linen or direct contact with skin
- Use disposable gloves when cleaning the surfaces or handling solled linen of the person. Wash hands after removing gloves
- · Visitors should not be allowed.
- · Wash your hands with soap and water frequently.
- Proper disinfection of bed/tables/ room/ all personal belongings should be followed with 1% Sodium hypochlorite solution/1% bleaching solution (30 gm bleaching powder+ 1 litre of water). Wash used cloths with normal detergent powder.

IN EMERGENCY CALL "104"





চিকিৎসালয়ৰ পৰা ছুটী দিয়াৰ পিছত গৃহ-অসংক্ৰাম্যকৰণ (Home Quarantine) অৱস্থাত পালন কৰিবলগীয়া কিছু সাৱধানতামূলক নিয়মাবলী-

গৃহ অসংক্ৰোম্যকৰণ (Home Quarantine)ত আবদ্ধ হৈ থকা ব্যক্তিজনৰ ক্ষেত্ৰত

- ১৪ দিন গৃহ- অসংক্রণান্যকৰণ ক'ত কটাব তাৰ সঠিক তথ্য স্বাস্থ্য কমী সকলক প্রদান কৰক তথা যোগাযোগৰ ফোন নম্বৰ দিয়ক।
- ছুটী দিয়া চিকিৎসালয়ৰ সংশ্লিষ্ট চৰকাৰী বিষয়াৰ তালিকা শওক যাক আপুনি যোগায়োগ কৰিব।
- বতাহ ভালদৰে চলাচল কৰাৰ লগতে শৌচালয় সংলয় থকা আছুতীয়া কোঠাত থাকক, যদি এই সুবিধা নাথাকে তেন্তে
 চিকিৎসালয়তে অতিৰিক্ত ১৪ দিন অতিবাহিত কৰক।
- ঘৰৰ বয়োজ্যেষ্ঠ ব্যক্তি, গৰ্ভবতী মহিলা, শিশু তথা মধুমেহ, উচ্চ ৰক্তচাপ, শ্বাস প্ৰশ্বাস সম্বন্ধীয় আৰু বৃদ্ধৰোগত আক্ৰান্ত ব্যক্তিৰ পৰা আঁতৰত থাকক।
- ঘৰৰ বাহিৰলৈ নগৈ ঘৰৰ ভিতৰতে সীমাবদ্ধ ৰাখি চলাচল কৰিব লাগে।
- ি যিকোনো পৰিস্থিতিতে সামাজিক/ধর্মীয় সমাবেশত উপস্থিত নাথাকিব।
- আহাৰ গ্ৰহণ কৰাৰ আগত আৰু কাঁহ, হাঁচি মৰাৰ পাছত তথা শৌচাগাৰ ব্যৱহাৰ কৰি আৰু যিকোনো স্থান স্পৰ্শ কৰাৰ পাছত হাত চাবোন আৰু পানীৰে বা এলকহলযুক্ত হেও চেনিটাইজাৰেৰে কমেও ২০ ছেকেও ভালদৰে হাত পৰিশ্ধাৰ কৰিব।
- ঘৰৰ অন্যান্য সকলৰ সৈতে ঘৰুৱা সামগ্ৰী যেনে কাঁহী-বাতি, গিলাচ-কাপ, চামুচ, গামোচা, বিচনাৰ আচবাৰ বা অন্যান্য সামগ্ৰীসমূহ আদান প্ৰদান নকৰিব।
- সকলো সময়তে তিনিতৰপীয়া ছাৰ্জিকেল মাস্ক ব্যৱহাৰ কৰিব। ৬-৮ ঘণ্টাৰ মুৰত মাস্কখন পৰিবৰ্তন কৰিব। ব্যৱহাৰ কৰা মাস্কসমূহ ৫% ব্লিচিং পানী (১৫০ গ্ৰাম ব্লিচিং পাউদাৰ + ১ লিটাৰ পানী) অথবা ১% হাইপক্লৰাইটৰে বীজাণুমুক্ত কৰি পুতি বা জ্বলাই নষ্ট কৰিব।
- হাঁচি বা কাঁহ মাৰোতে ৰুমাল ব্যৱহাৰ কৰি নাক আৰু মুখ ঢাকি ল'ব।
- দিনত কমেও দুবাৰকৈ শৰীৰৰ উক্ষতা চাওঁক।
- ভ্ৰমণৰ তথ্যপাতি সঠিককৈ ৰাখক যেনে উৰাজাহাজৰ টিকট, ৰে'লৰ টিকট, টেক্সি আদিৰ বিষদ তথ্য (চালকৰ ফোন নং ইত্যাদি)।
- যদি জ্বৰ উঠে, কাঁহ হয় বা উশাহ লবলৈ সমস্যা হ'লে ততালিকে ওচৰৰ স্বাস্থ্যকেন্দ্ৰত ৰা ১০৪ নম্বৰত যোগাযোগ কৰিব। যদি স্বাস্থ্যকেন্দ্ৰলৈ যাবলগা পৰিস্থিতি হয় তেন্তে আপোনাৰ লগত পৰিয়ালৰ এজন ব্যক্তি কোন যাব তাক থিৰাং কৰক, আৰু তেওঁ মাস্ক পৰিধান কৰিব আৰু আপোনাৰ সংস্পৰ্শলৈ আহিলে তেওঁ প্ৰতিবাৰে চাবোনেৰে ভালদৰে হাত ধুব।
- সাস্থ্যকর্মীয়ে ফোন কবিলে সঠিককৈ সঁহাবি দিয়ক। তেওঁলোকব ফোন নম্বব হাততে পোরাকৈ বাখক।
- ১৪ দিনৰ অন্তত আপোনাৰ স্বাস্থ্য সম্পর্কে স্বাস্থ্যকর্মীক জনাওক।

পৰিয়ালৰ সদস্য সকলৰ ক্ষেত্ৰত

- ১) পৰিয়ালৰ যিকোনো এজন সদস্যইহে আক্ৰাস্ত ব্যক্তিগৰাকীক শুশ্ৰুষাৰ দায়িত্ব লঁওক।
- ২) আক্ৰান্তজনে ব্যৱহাৰ কৰা কাপোৰ তথা ছালৰ প্ৰত্যক্ষ সংস্পৰ্শৰ পৰা আঁতৰি থাকক।
- ৩) ব্যক্তিজনে ব্যৱহাৰ কৰা কাপোৰ তথা আচুতীয়া কোঠাত থকা যিকোনো বস্তু পৰিস্কাৰ কৰোতে ভিচ্প'জেবল গ্লোভচ ব্যৱহাৰ কৰক।
- 8) শ্লোভচ ব্যৱহাৰ কৰাৰ পিচত হাত চাবোনেৰে ভালদৰে ধোৱক।
- ৫) অন্য ব্যক্তিৰ সংস্পৰ্শৰ পৰা আঁতৰত ৰাখক।
- ৬) ব্যক্তিজনে সদায় ব্যৱহাৰ কৰা বস্তুসমূহ যেনে বিচনা, টেবুল অনান্য সামগ্ৰী প্ৰতিদিনে সঘনায় ১% হাইপুকুৰাইট বা ১% ব্লিচিং পানীৰে (৩০ গ্ৰাম ব্লিচিং পাউদাৰ +১ লিটাৰ পানী) পৰিস্কাৰ কৰক।
- ৭) শৌচালয় ব্লিচিং বা ফেনাইলেৰে পৰিস্কাৰ কৰক।
- ৮) ব্যবহাৰ কৰা কাপোৰ সমূহ বেলেগকৈ ঘৰতে সহজে পোৱা কাপোৰ ধোৱা পাউদাৰ ব্যৱহাৰ কৰি ধুই ৰ'দত ভালদৰে শুকাণ্ডক।

জৰুৰী সময়ত ১০৪ নম্বৰত যোগাযোগ কৰক

